























# MT67 Sei

## Mobile Computers

-  1.5m drop
-  1D & 2D
-  4,800 mAh
-  4.0" screen
-  4G
-  Android 11
-  Bluetooth 5.0
-  Camera
-  GMS
-  GPS
-  IP65
-  Laser aimer
-  Megapixel
-  Micro SD
-  Ndevor
-  NFC
-  Touchscreen
-  USB-C
-  Warranty 2 Years
-  WIFI Dual Band



## Features

### Android 11 GMS.

The MT67 Sei runs on the Android 11 operating system with GMS. Packed with all the features and benefits of Android 11 OS, the MT67 Sei's 2.0Ghz octa-core processor in combination with the 4GB RAM can easily run multiple applications. The 64GB flash memory enables vast data to be stored offline, making the device a truly powerful data capture solution in the Newland range.

### Style and comfort.

The MT67 Sei's design is well balanced in weight, and the soft curved edges add comfort to the user. The 4-inch capacitive full-colour touch screen displays high-quality sharp images and clear text. Featuring two scan triggers on each side of the device and a front power key, the MT67 Sei suits both left and right-handed operations for extra comfort.

### Megapixel scanning.

The MT67 Sei has Newland Megapixel 2D scanning technology for high-performance scanning of 1D and 2D barcodes, even if they are damaged or distorted. The laser aiming uses the Acuscan feature to ensure the user can decode barcodes even when they are displayed closely together.

### Within 4 walls and beyond.

The dual-band Wi-Fi is the common wireless communication used in this device, but the 4G allows for roaming outside the network. The Bluetooth 5.0 is useful for pairing the device with peripherals like headsets, portable printers, or additional barcode scanners.

### Device management & software tools.

The MT67 Sei comes fully equipped with Newland's free Ndevor MDM for managing all your devices from one location. SOTI, Airwatch, and 42 Gears are alternative MDM options for the MT67 Sei.



# MT67 Sei

## Data Capture

1D	All major 1D symbologies
2D	All major 2D symbologies
Aiming	Laser diode
Illumination	White LED (625±10nm)
Image Sensor	1280 x 800 CMOS

## Performance

Current Operating System	Android 11, GMS
Memory Flash	64GB
Memory RAM	4GB
Memory Storage Expansion (max.)	Micro SD/TF card (max. 128GB)
Processor	2.0 GHz octa-core, 64-bit

## Physical

Battery Type	3.8 V, 4800 mAh, swappable
Dimensions	162(W) x 68(D) x 17(H) mm
Display/Touch Panel	4" WVGA (800 x 480), Capacitive touchscreen, Gorilla glass
Expansion Slot	Micro SD card (max. 128GB)
Expected Battery Life	10 hours
Expected Charge Time	3 hours
Front camera	5 MP, Fixed focus
Interfaces	USB-C
Keypad	27 keys
Notifications	Speaker, Vibration, Multi-color LEDs
Power Supply Input	AC 100 to 240 V (50 to 60 Hz)
Power Supply Output	DC5/7/9 V, 1.67 A
Rear camera	13 MP, LED flash, Auto focus
SIM/TF	2 Nano SIM Card Slots (Nano+Nano or Nano+SD)
Touch Panel	Capacitive touchscreen, Gorilla glass
Weight	250 g (including battery)

## Wireless

GPS	GLONASS, GPS (AGPS)
RFID	13.56MHz ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693
WLAN RADIO	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w, support 2.4GHz and 5GHz
WPAN RADIO	Bluetooth 5.0 LE, backward compatible
WWAN RADIO	2G: GSM: 850/900/1800/1900MHz; 3G: WCDMA (B1, B2, B5, B8), CDMA2000 1X/EV-DO Rev. A (BC0), TD-SCDMA (B34, B39); 4G: TD-LTE (B34, B38, B39, B40, B41), FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)

## Environmental

Drop	1.5 m
------	-------

Electro Static Discharge (ESD)	±8 kV (direct discharge), ±15 kV (air discharge)
Humidity	5% to 95% (non-condensing)
IP Rating	IP65
Operating Temperature	-20°C to 55°C (-4°F to 131°F)
Storage Temperature	-30°C to 70°C (-22°F to 158°F)

#### Software

Configuration Tools	Ndevor
MDM (certified)	Ndevor, SOTI, Airwatch
Terminal Emulation (compatible)	StayLinked, Ivanti Velocity

#### Certifications

Certifications Hardware	FCC ID, IEC 62471, RoHS, EN 60950
-------------------------	-----------------------------------

#### Warranty

Comprehensive Service Contract	3 Years, 5 Years
Warranty Extension	+1 Year, +3 Years
Warranty Standard	2 Years

#### Accessories

Accessories Optional	USB cable, 4-slot battery charger, Charging cradle, Pistol grip, Battery, Adapter, Screen protector
Accessories Standard	USB cable, Rubber boot, Battery, Screen protector, Multiplug adapter, Wrist strap



#### Newland AIDC EMEA

Feel free to contact us or a partner near you.

[info@newland-id.com](mailto:info@newland-id.com) - [newland-id.com](http://newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved