























MT67 Sei

Terminales portátiles

-  1.5m drop
-  1D & 2D
-  4,800 mAh
-  4.0" screen
-  4G
-  Android 11
-  Bluetooth 5.0
-  Camera
-  GMS
-  GPS
-  IP65
-  Laser aimer
-  Megapixel
-  Micro SD
-  Ndevor
-  NFC
-  Touchscreen
-  USB-C
-  Warranty 2 Years
-  WIFI Dual Band



Features

Android 11 GMS.

The MT67 Sei runs on the Android 11 operating system with GMS. Packed with all the features and benefits of Android 11 OS, the MT67 Sei's 2.0Ghz octa-core processor in combination with the 4GB RAM can easily run multiple applications. The 64GB flash memory enables vast data to be stored offline, making the device a truly powerful data capture solution in the Newland range.

Style and comfort.

The MT67 Sei's design is well balanced in weight, and the soft curved edges add comfort to the user. The 4-inch capacitive full-colour touch screen displays high-quality sharp images and clear text. Featuring two scan triggers on each side of the device and a front power key, the MT67 Sei suits both left and right-handed operations for extra comfort.

Megapixel scanning.

The MT67 Sei has Newland Megapixel 2D scanning technology for high-performance scanning of 1D and 2D barcodes, even if they are damaged or distorted. The laser aiming uses the Acuscan feature to ensure the user can decode barcodes even when they are displayed closely together.

Within 4 walls and beyond.

The dual-band Wi-Fi is the common wireless communication used in this device, but the 4G allows for roaming outside the network. The Bluetooth 5.0 is useful for pairing the device with peripherals like headsets, portable printers, or additional barcode scanners.

Device management & software tools.

The MT67 Sei comes fully equipped with Newland's free Ndevor MDM for managing all your devices from one location. SOTI, Airwatch, and 42 Gears are alternative MDM options for the MT67 Sei.



MT67 Sei

Captura de datos

1D	All major 1D symbologies
2D	All major 2D symbologies
Puntero	Diodo láser
Iluminación	LED blanco (625±10 nm)
Sensor de imagen	1280 x 800 CMOS

Rendimiento

Sistema operativo actual	Android 11, GMS
Memoria flash	64GB
Memoria RAM	4GB
Expansión del almacenamiento de memoria (máx.)	Micro SD/TF card (max. 128GB)
Procesador	2.0 GHz octa-core, 64-bit

Físico

Tipo de batería	3.8 V, 4800 mAh, swappable
Dimensiones (mm)	162(W) x 68(D) x 17(H) mm
Pantalla	4" WVGA (800 x 480)
Ranura de expansión	Micro SD card (max. 128GB)
Autonomía de la batería prevista	10 hours
Tiempo de carga previsto	3 hours
Cámara frontal	5 MP, Enfoque fijo
Interfaces	USB-C
Teclado	27 teclas
Notificaciones	Altavoz, Vibración, LED multicolor
Entrada de fuente de alimentación	AC 100 to 240 V (50 to 60 Hz)
Salida de fuente de alimentación	DC5/7/9 V, 1.67 A
Cámara trasera	13 MP, Flash LED, Enfoque automático
SIM/TF	2 Nano SIM Card Slots (Nano+Nano or Nano+SD)
Panel táctil	Pantalla táctil capacitiva, Gorilla Glass
Peso	250 g (including battery)

Inalámbrico

GPS	GLONASS, GPS (AGPS)
RFID	13.56MHz ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693
RADIO WLAN	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w, support 2.4GHz and 5GHz
RADIO WPAN	Bluetooth 5.0 LE, backward compatible
RADIO WWAN	2G: GSM: 850/900/1800/1900MHz; 3G: WCDMA (B1, B2, B5, B8), CDMA2000 1X/EV-DO Rev. A (BC0), TD-SCDMA (B34, B39); 4G: TD-LTE (B34, B38, B39, B40, B41), FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)

Medioambiental

Caídas	1.5 m
--------	-------

Descarga electroestática (ESD)	±8 kV (descarga directa), ±15 kV (descarga en aire)
Humedad	5 % al 95 % (sin condensación)
Grado de protección IP	IP65
Temperatura de funcionamiento	De -20 °C a 55 °C (de -4 °F a 131 °F)
Temperatura de almacenamiento	De -30 °C a 70 °C (de -22 °F a 158 °F)

Software

Herramientas de configuración	Ndevor
MDM (certificado)	Ndevor, SOTI, Airwatch
Emulación de terminal	StayLinked, Ivanti Velocity

Certificados

Certificaciones Hardware	FCC ID, IEC 62471, RoHS, EN 60950
--------------------------	-----------------------------------

Garantía

Contrato de servicio integral	3 años, 5 años
Extensión de garantía	+1 año, +3 años
Garantía estándar	2 años

Accesorios

Accesorios opcionales	Cable USB, Cargador de batería de 4 ranuras, Base de carga, Empuñadura de pistola, Batería, Adaptador, Protector de pantalla
Accesorios estándar	Cable USB, Funda protectora de goma, Batería, Protector de pantalla, Adaptador múltiple de carga, Correa de muñeca

Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved