



NQuire 10 Trygon

Ordenadores con panel táctil

					
1.2m drop	10.1" screen	1D & 2D	4G	9,000 mAh	AER + GMS
					
Android 15	Bluetooth 5.4	Camera	GPS	IP65	Ndevor
					
NFC	USB-C	Warranty 2 Years	WIFI Dual Band		



Features

Made to Display.

The NQuire 10 Trygon features a 10.1" capacitive touchscreen for an intuitive, responsive user experience. The tempered glass display is sunlight-readable, making it well-suited for outdoor use. Its large screen size supports the display of extensive data sets and runs third-party applications for use cases such as warehouse stock management, field service, and quality inspections.

Performance Ready.

The NQuire 10 Trygon runs Android 15 GMS and is powered by a 2.2 GHz octa-core processor for dependable application performance. It also carries Google's Android Enterprise Recommended (AER) seal of approval, confirming it meets enterprise standards for security, reliability, and core device functionality.

Connectivity Options.

The NQuire 10 Trygon offers various connectivity options, including dual-band Wi-Fi, Bluetooth 5.4, 4G, GPS, and NFC. These features ensure reliable connectivity, making the Trygon suitable for a wide range of applications, both indoors and outdoors. It can be used for access control, equipment tracking, fieldwork, inventory management, and patient monitoring.

Scanning and Imaging.

The NQuire 10 Trygon includes an integrated barcode scanner for fast, accurate capture of 1D and 2D barcodes. Rear and front cameras further extend its capabilities, enabling barcode capture, inspection documentation, asset and inventory tracking, and proof-of-delivery photos.

All-Day Power.

The NQuire 10 Trygon is equipped with a removable 9,000 mAh battery, delivering over 12 hours of continuous operation. Fast charging support (up to 18W) further minimizes downtime between shifts.

Design and Durability.

The NQuire 10 Trygon is available in two color options: black and white. The black version suits general use across a wide range of industries and applications, while the white version is tailored for medical environments where hygiene and a clean, professional appearance are priorities. Both versions feature an ergonomic design that reduces hand fatigue during extended use. With an IP65 rating and 1.2-meter drop protection, the device combines everyday comfort with the ruggedness needed for industrial environments.

2 Years Full
Warranty

Ndevor
NEWLAND SOFTWARE

TECHNICAL SPECIFICATIONS

NQuire 10 Trygon

Captura de datos

1D	Code128, Code 49, Code 16K, (GS1128) UCC/EAN-128, AIM-128, EAN-8, EAN-13, UPC-E, UPC-A, ITF, ITF 6, ITF 14, Matrix 2 of 5, Industrial 25, Standard 2 of 5, Code39, ISSN, ISBN, CodaBar, Code93, Code 11, Plessey, MSI Plessey, RSS.
2D	Aztec, Composite, CS Code, Maxicode, Micro PDF, Micro QR, PDF 417, QR Code, Data Matrix, DotCode.
Profundidad de campo Code 39 (5mil)	120 mm - 280 mm
Profundidad de campo Data Matrix (10mil)	110 mm - 260 mm
Profundidad de campo EAN 13 (13 mil)	70 mm - 600 mm
Profundidad de campo PDF417 (6.7mil)	110 mm - 230 mm
Profundidad de campo QR (15mil)	55 mm - 400 mm

Rendimiento

Sistema operativo actual	Android 15, GMS, Android Enterprise Recommended (AER)
Memoria flash	64GB
Memoria RAM	4GB
Procesador	2.2GHz, octa-core 64-bit processor

Físico

Adaptador CA	18W Fast Charging Supported
Conector de audio	Auriculares con conector tipo C, Conector para auriculares de 3,5 mm
Tipo de batería	3.85V, 9000mAh
Dimensiones (mm)	266.8(L) × 180.9(W) × 21.45(H) mm
Pantalla/Panel táctil	10.1" (1200×1920), Capacitive-, Sunlight-Readable Touchscreen
Cámara frontal	5 MP, Enfoque fijo
Interfaces	USB-C
Teclado	12 teclas
Notificaciones	Altavoz, Vibración, LED multicolor
Cámara trasera	13 MP, Flash LED, Enfoque automático
Sensores	Sensor magnético, Sensor de luz y proximidad, Giroscopio, Sensor de aceleración
SIM/TF	Nano + Nano or Nano + TF
Peso	918g (including battery)

Inalámbrico

GPS	Beidou, GLONASS, Galileo, GPS (AGPS)
NFC	ISO14443A/B, ISO15693, ISO18000-3, MIFARE, FeliCa RF, Kovio, NFC Forum Type 1-4 Tags
RADIO WLAN	Built-in 802.11 a/b/g/n/ac/ax Wi-Fi6E, Support 2.4G, 5G dual band and 6G, 2T2R
RADIO WPAN	Bluetooth 5.4
RADIO WWAN	2G: GSM (B2, B3, B5, B8). 3G: WCDMA (B1, B2, B5, B8); CDMA 1X/EVDO(BC0). 4G: TDD-LTE (B34, B38, B39, B40, B41); FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)

Medioambiental

Caídas	1.2m drops to concrete (for six sides, one drop per side)
--------	---

Descarga electroestática (ESD)	±8 kV (descarga directa), ±15 kV (descarga en aire)
Humedad	5 % al 90 % (sin condensación)
Grado de protección IP	IP65
Temperatura de funcionamiento	De -20 °C a 50 °C (de -4 °F a 122 °F)
Temperatura de almacenamiento	De -30 °C a 70 °C (de -22 °F a 158 °F)

Software

Hoja de ruta de Android	https://www.newland-id.com/en/support/android-roadmap-for-newland-devices/
Herramientas de configuración	Ndevor
MDM (certificado)	Ndevor

Garantía

Garantía estándar	2 años
-------------------	--------

Accesorios

Accesorios opcionales	Base de carga, Funda protectora, Base para vehículo, Lámina templada
Accesorios estándar	Cable USB, Correa de mano, Adaptador múltiple de carga

¿Qué incluye la caja?

NLS-NQ10T-4W-B	NQuire 10 Trygon Black, USB cable, Hand strap, Multiplug adapter
NLS-NQ10T-4W-W	NQuire 10 Trygon White, USB cable, Hand strap, Multiplug adapter

Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - [newland-id.com](https://www.newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved