



MT95 Kambur Pro

Ordinateurs mobiles

					
1.5m drop	1D & 2D	5G	6,000 mAh	6.1" screen	Acuscan
					
Android 11	Bluetooth 5.2	GMS	GPS	IP67	Megapixel
					
Ndevor	NFC	Touchscreen	USB-C	Warranty 2 Years	WiFi Dual Band

Features

Dual 5G SIM Slots.

The MT95 Kambur Pro features 5G network connectivity, adding greater speed, lower latency, and larger capacity to transfer business-critical data. Featuring two nano SIM card slots, the MT95 Kambur Pro allows the customer to add separate voice and data. Moreover, the additional SIM provides the end-user with an extra way to reduce the risks of downtime.

Powerful Performance.

The MT95 Kambur Pro comes with an Android 11 GMS operating system and is powered by a 2.2GHz octa-core processor. The 6GB RAM and 128GB flash memory further support the device's outstanding performance in handling applications and filing data.

Megapixel Scanning.

The MT95 Kambur Pro has Newland Megapixel 2D scanning technology for high-performance scanning of 1D and 2D barcodes, even if they are damaged or distorted. The laser aiming uses the Acuscan feature to ensure the user can decode barcodes even when they are displayed closely together.

Large Battery Capacity and Super-Fast Charging.

Equipped with a 6000mAh battery, the MT95 Kambur Pro is supplemented by a low-power design, significantly extending the device's usage time. Besides, it supports fast charging with a Type-C port and charging power up to 18W.

Full Wireless Features.

In addition to 5G, the MT95 Kambur Pro has various other wireless options, including dual-band WiFi, the latest Bluetooth 5.2, GPS, and NFC. Whether inside or outside a local area network, the MT95 Kambur Pro maintains communication with its host application while peripheral devices stay connected to it.

Device Management & Software Tools.

The MT95 Kambur Pro comes fully equipped with Newland's free Ndevor MDM for managing all your devices from one location. SOTI, AirWatch, and 42 Gears are alternative MDM options for the MT95 Kambur Pro.

2 Years Full
Warranty

Ndevor
NEWLAND SOFTWARE

TECHNICAL SPECIFICATIONS

MT95 Kambur Pro

Capture de données

1D

All major 1D symbologies

MT95 Kambur Pro | Page 1 of 3

2D	All major 2D symbologies
Visueur	Diode laser
Profondeur de champ Code 39 (5mil)	120 mm - 280 mm
Profondeur de champ Data Matrix (10mil)	110 mm - 260 mm
Profondeur de champ EAN 13 (13 mil)	70 mm - 600 mm
Profondeur de champ PDF417 (6.7mil)	110 mm - 230 mm
Profondeur de champ QR (15mil)	55 mm - 400 mm
Éclairage	LED blanche (625±10 nm)
Capteur d'image	1280 x 800 CMOS
Modes de lecture	Mode de déclenchement
Taux de lecture	60 frames per second

Performance

Système d'exploitation actuel	Android 11, GMS
Mémoire flash	128 Go
Mémoire RAM	6 Go
Processeur	2.2 GHz octa-core, 64-bit

Caractéristiques physiques

Adaptateur pour courant alternatif	18 W fast charging supported
Type de batterie	3.85 V, 6000 mAh, Smart battery
Dimensions (mm)	165(W) × 78.5(D) × 15.5(H) mm
Écran	6.1" (1560 x 720), 500 Nits
Caméra frontale	8 MPx, Mise au point fixe
Interfaces	USB-C, OTG
Clavier	5 touches
Notifications	Haut-parleur, Vibration, LED multicolores
Caméra arrière	13 MPx, Flash LED, Mise au point automatique
Capteurs	G-sensor, Magnetic sensor, Light & proximity sensor, Acceleration sensor
SIM/TF	2 Nano SIM card slots
Écran tactile	Verre Gorilla
Poids	287 g (including battery)

Sans fil

GPS	GLONASS, Galileo, GPS (AGPS)
RFID	13.56MHz ISO14443A/B, ISO15693, ISO18000-3, MIFARE, FeliCa RF, Kovio, NFC Forum Type 1-4 Tags
RADIO WLAN	built-in 802.11 a/b/g/n/ac, support 2.4G and 5G dual frequency
RADIO WPAN	Bluetooth 5.2 BLE
RADIO WWAN	2G: GSM (B2, B3, B5, B8); 3G: WCDMA (B1, B2, B5, B8); CDMA: 1X EVDO (BC0); 4G: TDD-LTE (B34, B38, B39, B40, B41) FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b); 5G: NR (N1/3/8/28/38/41/77/78/79)

Environnement

Résistance aux chutes	1.5 m
-----------------------	-------

Décharge électrostatique (ESD)	±8 kV (décharge directe), ±15 kV (décharge dans l'air)
Humidité	5 % à 95 % (sans condensation)
Indice de protection	IP67
Température de fonctionnement	de -20 °C à 50 °C (de -4 °F à 122 °F)
Température de stockage	de -30 °C à 60 °C (de -22 °F à 140 °F)

Logiciel

Outils de configuration	Ndevor
MDM (certifié)	Ndevor

Garantie

Garantie standard	2 ans
-------------------	-------

Accessoires

Accessoires en option	Câble USB-C , Chargeur de batterie à 4 emplacements, Socle de chargement, Poignée pistolet,, Étui de protection, Adaptateur, Protecteur d'écran, Étuis, Dragonne
Accessoires standard	Câble USB, Dragonne, Batterie, Adaptateur secteur

Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved