


















NQquire 350 Skate

Micro Kiosques

					
1D & 2D	4.3" screen	Android 7.1	Bluetooth 4.0	CMOS	I/O Ctrl
					
Megapixel	Micro SD	Ndevor	PoE	RFID	Touchscreen
					
USB	Warranty 2 Years	WiFi			



Features

Self-Scanning focused.

The NQquire 350 Skate is armed with a 2D omni-directional scan engine. Its megapixel scanner easily reads barcodes, no matter the size or material that it's been printed on. A 20 degree angle of the reader makes scanning larger products comfortable. For digital barcodes, this same tilt guides each user to present their smart phone at the optimal angle to combat reflection.

Heavily customized Android OS for easy integration and Device Management.

Running on Android 7.1, the NQquire 350 Skate ensures intuitive navigation to your customers and your team. Looking up product information, scanning tickets or checking prices is quick and simple. Meanwhile software and development possibilities are as powerful and widespread as they are in larger equivalents.

Greater visibility.

Newland's MDM Ndevor, included with each NQquire 350 Skate, makes updating and maintaining devices even easier by connecting them to a cloud-based configuration and monitoring tool.

Endless communication possibilities.

The NQquire 350 Skate is equipped with a variety of features that make it easy to adapt the micro kiosk to your application. The device has a built-in RFID reader and data can be transmitted through Ethernet, WiFi and Bluetooth. An external USB and GPIO port provides the possibility to connect an external device, such as a handheld scanner.

Mount anywhere.

With its small footprint and VESA 75 compliant design, the NQquire 350 Skate can be mounted on any shelf, pole or wall.

Backwards compatible.

The NQquire 350 Skate's embedded CIT emulation program means the device can emulate the exact functions of the NQquire 200 series. Enabling prior customers to explore what's possible with Android while they continue their existing processes.

2 Years Full Warranty



TECHNICAL SPECIFICATIONS

NQquire 350 Skate

Capture de données

1D	All major 1D symbologies
----	--------------------------

2D	All major 2D symbologies
Visueur	Diode laser (625 ± 10 nm)
Éclairage	LED blanche (625±10 nm)
Capteur d'image	1280 x 800 CMOS
Modes de lecture	Mode Détection
Taux de lecture	60 frames per second

Performance

Système d'exploitation actuel	Android 7.1
Mémoire flash	8 Go
Mémoire RAM	2 Go
Extension de la mémoire de stockage (max.)	Micro SD up to 128GB
Processeur	1.5 GHz octa-core

Caractéristiques physiques

Audio	Son stéréo à deux canaux de 88 dB (850 Hz à 20 kHz)
Dimensions (mm)	140(W) x 139.5(D) x 61(H) mm
Écran	4,3" (480 x 272) TFT LCD Display
Emplacement pour extension	Micro SD up to 128GB
Interfaces	USB 2.0, GPIO
Consommation d'énergie	6 W
Alimentation par Ethernet	802.3 af
Entrée alimentation	AC 110 to 220 V (50 to 60 Hz)
Sortie alimentation	DC12 V, 2 A
Écran tactile	Écran tactile capacitif
Norme VESA	Complies with standard 75 bracket, enabling easy mounting on shelves and walls
Poids	403 g

Sans fil

RFID	ISO/IEC 14443 A/B ISO/IEC 15693; MIFARE 1K/4K; MIFARE DESFire; Sony FeliCa
RADIO WLAN	IEEE 802.11a/b/g/n/ac
RADIO WPAN	Bluetooth 4.0 LE

Environnement

Humidité	Fonctionnement: 5 % à 90 % (sans condensation), Stockage: 5 % à 95 % (sans condensation)
Température de fonctionnement	de -10 °C à 50 °C (de 14 °F à 122 °F)
Température de stockage	de -20 °C à 60 °C (de -4 °F à 140 °F)

Logiciel

Outils de configuration	Ndevor
MDM (certifié)	Ndevor, SOTI

Garantie

Garantie standard	2 ans
-------------------	-------



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved