


















MT90 Orca Pro

Ordinateurs mobiles

 1.5m drop	 1D & 2D	 4,500 mAh	 4G	 5.0" screen	 Acuscan
 AER	 Android 10	 Bluetooth 4.2	 Camera	 GMS	 GPS
 IP65	 Laser aimer	 Megapixel	 Micro SD	 Micro USB	 Ndevor
 NFC	 Touchscreen	 Warranty 2 Years	 WIFI Dual Band		



Features

Full touchscreen mobile computer.

Like the rest of its series, the MT90 Orca Pro is an Android mobile computer that packs all of the latest hardware into a modern and user-friendly design. It is a light and durable device with a 5" capacitive touch screen. Equipped with a familiar user interface and the exterior of a rugged consumer phone, the MT90 Orca Pro is easy to set up and use right out of the box.

Android Enterprise Recommended (AER).

The MT90 Orca Pro carries Google's AER seal of approval, signalling it keeps pace with performance and security upgrades to its operating system and core functionality. This label, in combination with Newland's free MDM Ndevor, enables clients to maintain secure visibility and control over their devices regardless of location. MT90 Orca Pro is also available without Google Mobile Services (GMS), a more streamlined consideration for applications that remain inside the four walls.

Fast Charging and long operating time.

The MT90 Orca Pro has fast charging for its standard 3.8V 4500mAh and its extended capacity 6500mAh battery. Both batteries are replaceable, allowing the user to operate across multiple shifts, day by day.

Powerful and accurate barcode scanning.

The MT90 Orca Pro's megapixel scanner is built in at the top of the device and can be triggered with a virtual button on the screen, physical buttons on the side of the device or via the trigger on the handle of the PG90 Pistol grip. Newland's Acuscan function makes the unit ideal for picking applications.

Business-class durability.

The MT90 Orca Pro is built to withstand dusty environments and inevitable bumps and drops. It has Gorilla® Glass, a rating of IP65 and has been drop tested up to 1.5m, ensuring longer and more reliable use.

Accessories that match your operations.

A wide range of accessories for the MT90 Orca Pro are included in the package, namely: USB cable, battery, rubber boot and multi plug adapter. Various pistol grips, including both UHF and long range, holsters, multi-charging cradles, communication (USB) cradle and vehicle cradle kit are also available for the MT90 Orca Series.

MT90 Orca Pro

Capture de données

1D	All major 1D symbologies
2D	All major 2D symbologies
Visueur	LED rouge (650 nm)
Éclairage	White LED
Capteur d'image	1280 x 800 CMOS

Performance

Système d'exploitation actuel	Android 10, GMS, Android Enterprise Recommended (AER)
Mémoire flash	64 Go
Mémoire RAM	4 Go
Extension de la mémoire de stockage (max.)	Micro SD card (max. 128GB)
Processeur	1.8 GHz octa-core, 64-bit Qualcomm Snapdragon

Caractéristiques physiques

Type de batterie	3.8 V, 4500 mAh
Boutons	Side Keys Volume+ ,Volume- , Left Scan Key, Right Scan Key, Power Button, Function Key, Keypad (4 Keys)
Dimensions (mm)	155(W) x 78(D) x 20(H) mm
Écran	5" full colour (1280 x 720)
Emplacement pour extension	Micro SD card (max. 128GB)
Caméra frontale	2 MPx
Interfaces	Micro USB
Clavier	10 touches
Notifications	Haut-parleur, Vibration, LED multicolores
Entrée alimentation	AC 110 to 220 V (50 to 60 Hz)
Sortie alimentation	DC5 V, 2 A
Caméra arrière	13 MPx, Flash LED, Mise au point automatique
Écran tactile	Écran tactile capacitif, Verre Gorilla
Poids	265 g (including battery)

Sans fil

GPS	GLONASS, Galileo, GPS (AGPS)
RFID	13.56MHz RFID ISO14443A/B, MI FARE, FeliCa, NFC Forum Tags, ISO15693
RADIO WLAN	802.11 a/b/g/n/ac, compatible with d/h/i/k/r/v/w, support 2.4GHz and 5GHz
RADIO WPAN	Bluetooth 4.2 LE, backward compatible
RADIO WWAN	2G: GSM (850/900/1800/1900MHz) 3G: WCDMA (B1, B2, B5, B8),TD-SCDMA (B34, B39), CDMA 1x/EVDO (BC0) 4G: TDD-LTE (B38, B39, B40, B41(100m)), FDD-LTE (B1, B2, B3, B5, B7, B8, B2, B28a&b)

Environnement

Résistance aux chutes	1.5 m
Décharge électrostatique (ESD)	±8 kV (décharge directe), ±15 kV (décharge dans l'air)

Humidité	5 % à 95 % (sans condensation)
Indice de protection	IP65
Température de fonctionnement	de -20 °C à 55 °C (de -4 °F à 131 °F)
Température de stockage	de -40 °C à 70 °C (de -40 °F à 158 °F)

Logiciel

Outils de configuration	Ndevor
MDM (certifié)	Ndevor, SOTI, Airwatch
Émulation de terminal	StayLinked, Ivanti Velocity

Garantie

Garantie standard	2 ans
-------------------	-------

Accessoires

Accessoires standard	Câble USB, Étui de protection en caoutchouc, Batterie, Adaptateur secteur
----------------------	---

Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved