



# NQquire 1500 Mobula

Terminale dotykowe

					
15.6" screen	1D & 2D	Android 7.1	Bluetooth 4.1	Camera	I/O Ctrl
					
IP54	Megapixel	Ndevor	PoE	SD	USB
					
WiFi					



## Features

### Android OS.

The NQquire 1500 Mobula runs on an Android 7.1 OS. With this reliable operating system comes a feature-rich environment for stable apps that are tried and tested. Android 7.1 is an excellent match for the applications most suited to the NQquire 1500. Particularly when operating within four walls, fitting the NQquire 1500's Power over Ethernet (PoE) connectivity.

### Free MDM included.

The NQquire 1500 Mobula comes with the option of running Newland's free MDM solution: Ndevor. As a result, the Micro Kiosk lends itself perfectly to the coordination of multiple units. Managing information from a shared database, organizing applications and settings across many individual units, as well as low-touch assistance in troubleshooting can all be managed from a centralized location.

### Mount anywhere.

The NQquire 1500 Mobula's slim and lightweight design is suitable for mounting in various scenarios. Options to mount the Nquire series range from wall to free-standing. Its classic Vesa75 configuration also ensures that existing holders from 3rd parties can be used.

### Snappy Megapixel Scanning.

Barcode data capture is at the heart of Newland's Micro Kiosks. The NQquire 1500 is fitted with its own Megapixel scanning technology. This maintains high standards for the scanning of both large and small 1D & 2D barcodes. The Micro Kiosk further includes optimal settings for reading barcodes presented on smartphone and tablet screens. With the scanner set at a 20° angle, it matches the ergonomics of how the user presents codes for scanning.

### Multi-purpose display.

The sharp, full-colour screen on the NQquire 1500 Mobula is perfect for running animations and live recorded videos when it is not being actively used. With onboard memory, expanded memory and online options, the choice of content to display is virtually limitless.

### Endless communication and data capture possibilities.

With WiFi, Ethernet (PoE support) and Bluetooth, this Micro Kiosk offers a variety of standard communication possibilities.

2 Years Full  
Warranty

**Ndevor**  
NEWLAND SOFTWARE

## TECHNICAL SPECIFICATIONS

# NQquire 1500 Mobula

### Przechwytywanie danych

1D

All major 1D symbologies

2D	All major 2D symbologies
Celowanie	Dioda laserowa (625 ± 10 nm)
Oświetlenie	Biała dioda LED (625±10 nm)
Czujnik obrazu	1280 x 800 CMOS
Tryby skanowania	Tryb wykrywania
Częstotliwość skanowania	60 frames per second

#### Wydajność

Obecny system operacyjny	Android 7.1
Pamięć Flash	8 GB eMMC
Pamięć RAM	2GB DDR3
Procesor	RK3288, ARM Cortex-A53; up to 1.5 GHz

#### Właściwości fizyczne

Audio	Mikrofon, Wbudowane głośniki 80 (1,3 W)
Typ Baterii	No main battery, RTC clock battery
Klawisze	(Vol+/ Vol-)/(Up / Down)/ Exit / Power switch
Wymiary (mm)	380.35(W) x 283.64(D) x 27.7(H) mm
Wyświetlacz	15.6" IPS (1920 x 1080), brightness 250cd/m2, backlight LED
Gniazdo rozszerzeń	1 x MicroSDHC class 10 compatible
Przedni aparat	5 MP, Stała ogniskowa
Obudowa	Tworzywo sztuczne
Napięcie wejściowe	12 V DC ±5%
Interfejsy	Micro USB 2.0, USB 2.0, OTG, RJ-45, Głowica zasilania prądem stałym
Klawiatura	6 klawiszy
Zasilanie przez sieć Ethernet	RJ45 Ethernet, 10/100/1.000BASE-T
Zasilanie wyjściowe	DC12 V, 2 A
Czujniki	Gravity Sensor
Panel dotykowy	5-punktowy ekran dotykowy pojemnościowy
Standard VESA	Complies with the standard VESA 75 bracket, enabling easy mounting on shelves and walls
Wideo	H.264 real-time video playback 1080P@30fps display
Waga	1,315 g

#### Bezprzewodowy

WPAN RADIO	Bluetooth 4.1
------------	---------------

#### Środowiskowe

Wilgotność	5% do 95% (bez kondensacji)
Klasa IP	IP54 (tylko z przodu)
Temperatura robocza	od -10°C do 50°C (od 14°F do 122°F)
Temperatura przechowywania	od -20°C do 60°C (od -4°F do 140°F)

#### Oprogramowanie

Narzędzia konfiguracyjne	Ndevor
--------------------------	--------

MDM (certyfikowany)

Ndevor, SOTI

Emulacja terminala

Ivanti Velocity

#### Certyfikaty

Certyfikaty Sprzęt

FCC, RoHS, CE

#### Gwarancja

Standardowa gwarancja

2 lata

#### Akcesoria

Akcesoria opcjonalne

Podstawka biurkowa VESA 75

Akcesoria standardowe

Zasilacz, Uchwyt naścienny VESA 75

#### Newland AIDC EMEA

Feel free to contact us or a partner near you.

[info@newland-id.com](mailto:info@newland-id.com) - [newland-id.com](http://newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved