


















# NQquire 350 Skate

Компьютеры с сенсорным экраном

 1D & 2D	 4.3" screen	 Android 7.1	 Bluetooth 4.0	 CMOS	 I/O Ctrl
 Megapixel	 Micro SD	 Ndevor	 PoE	 RFID	 Touchscreen
 USB	 Warranty 2 Years	 WIFI			



## Features

### Self-Scanning focused.

The NQquire 350 Skate is armed with a 2D omni-directional scan engine. Its megapixel scanner easily reads barcodes, no matter the size or material that it's been printed on. A 20 degree angle of the reader makes scanning larger products comfortable. For digital barcodes, this same tilt guides each user to present their smart phone at the optimal angle to combat reflection.

### Heavily customized Android OS for easy integration and Device Management.

Running on Android 7.1, the NQquire 350 Skate ensures intuitive navigation to your customers and your team. Looking up product information, scanning tickets or checking prices is quick and simple. Meanwhile software and development possibilities are as powerful and widespread as they are in larger equivalents.

### Greater visibility.

Newland's MDM Ndevor, included with each NQquire 350 Skate, makes updating and maintaining devices even easier by connecting them to a cloud-based configuration and monitoring tool.

### Endless communication possibilities.

The NQquire 350 Skate is equipped with a variety of features that make it easy to adapt the micro kiosk to your application. The device has a built-in RFID reader and data can be transmitted through Ethernet, WiFi and Bluetooth. An external USB and GPIO port provides the possibility to connect an external device, such as a handheld scanner.

### Mount anywhere.

With its small footprint and VESA 75 compliant design, the NQquire 350 Skate can be mounted on any shelf, pole or wall.

### Backwards compatible.

The NQquire 350 Skate's embedded CIT emulation program means the device can emulate the exact functions of the NQquire 200 series. Enabling prior customers to explore what's possible with Android while they continue their existing processes.

2 Years Full Warranty

**Ndevor**  
NEWLAND SOFTWARE

## TECHNICAL SPECIFICATIONS

# NQquire 350 Skate

### Считывание данных

1D	All major 1D symbologies
----	--------------------------

2D	All major 2D symbologies
Нацеливание	Лазерный диод (625±10 нм)
Подсветка	Белый светодиод (625±10 нм)
Датчик сканера	1280 x 800 CMOS
Режимы сканирования	Режим «Sense»
Скорость сканирования	60 frames per second

#### Производительность

Текущая операционная система	Android 7.1
Флеш-память	8 ГБ
Память RAM	2 ГБ
Расширение памяти (макс.)	Micro SD up to 128GB
Процессор	1.5 GHz octa-core

#### Физические характеристики

Аудио	88 дБ (от 850 Гц до 20 кГц), двухканальный стереозвук
Размеры (мм)	140(W) x 139.5(D) x 61(H) mm
Дисплей	4.3" (480 x 272) TFT LCD Display
Слот расширения	Micro SD up to 128GB
Интерфейсы	USB 2.0, GPIO
Потребляемая мощность	6 W
Передача питания по кабелю Ethernet	802.3 af
Вход питания	AC 110 to 220 V (50 to 60 Hz)
Выход питания	DC12 V, 2 A
Сенсорная панель	Емкостный сенсорный экран
VESA (стандарт)	Complies with standard 75 bracket, enabling easy mounting on shelves and walls
Вес	403 g

#### Беспроводной

RFID	ISO/IEC 14443 A/B ISO/IEC 15693; MIFARE 1K/4K; MIFARE DESFire; Sony FeliCa
WLAN РАДИО	IEEE 802.11a/b/g/n/ac
WPAN РАДИО	Bluetooth 4.0 LE

#### Экологический

Влажность	Рабочая: От 5 % до 90 % (без конденсации), хранения: От 5 % до 95 % (без конденсации)
Рабочая температура	от -10 °C до 50 °C (от 14 °F до 122 °F)
Температура хранения	от -20 °C до 60 °C (от -4 °F до 140 °F)

#### Программное обеспечение

Инструменты настройки	Ndevor
Управление основными данными (MDM)	Ndevor, SOTI

#### Гарантия

Стандартная гарантия	2 года
----------------------	--------



**Newland AIDC EMEA**

Feel free to contact us or a partner near you.

[info@newland-id.com](mailto:info@newland-id.com) - [newland-id.com](http://newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved