



Newland

SCANNING MADE SIMPLE

Newland EasyConnect User Guide

Version: 1.0.0

Revision History

| Version | Description | Date |
|---------|------------------|--------------|
| V1.0.0 | Initial release. | Jan 19, 2021 |

Table of Content


| | |
|---|---|
| Revision History | 2 |
| About EasyConnect..... | 1 |
| How to Use EasyConnect..... | 1 |
| Supported Products..... | 3 |
| Supported Operating System of Host..... | 3 |

About EasyConnect


EasyConnect is a connection application developed by Newland Auto-ID Technology Co., Ltd. It can be directly installed on mobile phones, PDAs and other Android mobile devices. The bluetooth scanners can be directly connected to the mobile device by using this application and transmit the data to the Android devices in real time.

How to Use EasyConnect

1. Download [EasyConnect](#) installation package and run it after installation.



2. Allow EasyConnect to access this device's location.



3. Scan the below barcodes to set the scanner in Bluetooth HID mode and clear pairing info on scanner.



@SETUPE1

Enter Setup



@WLSCLP

Clear Pairing Information of Scanner



@INTERF10


Bluetooth HID Mode



@SETUPE0

Exit Setup

4. Scan the pairing barcode on the EasyConnect and then connection completed.



Once a scanner and an Android device is paired, no repairing is required unless the pairing information is cleaned.

Supported Products

Supported products are listed as below

HR15-BT (Firmware version HR15-BT_V1.01.016 or later is required)

HR22-BT (Firmware version HR22-BT_V1.01.006 or later is required)

HR32-BT (Firmware version HR32-BT_V1.01.021 or later is required)

HR52-BT (Firmware version HR32-BT_V1.01.003 or later is required)

Supported Operating System of Host

Android 6 later is required.

Newland EMEA
+ 31 (0) 345 87 00 33
info@newland-id.com

Rolweg 25
4104 AV Culemborg
The Netherlands

Need more info?
Contact us or one of our partners at
newland-id.com/contact

