























MT67 Sei

Mobil bilgisayarlar

- | | | | | | |
|--|--|--|--|--|--|
| 
1.5m drop | 
1D & 2D | 
4,800 mAh | 
4.0" screen | 
4G | 
Android 11 |
| 
Bluetooth 5.0 | 
Camera | 
GMS | 
GPS | 
IP65 | 
Laser aimer |
| 
Megapixel | 
Micro SD | 
Ndevor | 
NFC | 
Touchscreen | 
USB-C |
| 
Warranty 2 Years | 
WIFI Dual Band | | | | |



Features

Android 11 GMS.

The MT67 Sei runs on the Android 11 operating system with GMS. Packed with all the features and benefits of Android 11 OS, the MT67 Sei's 2.0Ghz octa-core processor in combination with the 4GB RAM can easily run multiple applications. The 64GB flash memory enables vast data to be stored offline, making the device a truly powerful data capture solution in the Newland range.

Style and comfort.

The MT67 Sei's design is well balanced in weight, and the soft curved edges add comfort to the user. The 4-inch capacitive full-colour touch screen displays high-quality sharp images and clear text. Featuring two scan triggers on each side of the device and a front power key, the MT67 Sei suits both left and right-handed operations for extra comfort.

Megapixel scanning.

The MT67 Sei has Newland Megapixel 2D scanning technology for high-performance scanning of 1D and 2D barcodes, even if they are damaged or distorted. The laser aiming uses the Acuscan feature to ensure the user can decode barcodes even when they are displayed closely together.

Within 4 walls and beyond.

The dual-band Wi-Fi is the common wireless communication used in this device, but the 4G allows for roaming outside the network. The Bluetooth 5.0 is useful for pairing the device with peripherals like headsets, portable printers, or additional barcode scanners.

Device management & software tools.

The MT67 Sei comes fully equipped with Newland's free Ndevor MDM for managing all your devices from one location. SOTI, Airwatch, and 42 Gears are alternative MDM options for the MT67 Sei.



MT67 Sei

Veri Yakalama

1D	All major 1D symbologies
2D	All major 2D symbologies
Hedefleme	Lazer diyot
Aydınlatma	Beyaz LED (625±10 nm)
Görüntü Sensörü	1280 x 800 CMOS

Performans

Mevcut İşletim Sistemi	Android 11, GMS
Flaş Bellek	64GB
RAM Bellek	4GB
Bellek Artırma (Maks.)	Micro SD/TF card (max. 128GB)
İşlemci	2.0 GHz octa-core, 64-bit

Fiziksel

Pil Türü	3.8 V, 4800 mAh, swappable
Boyutlar (mm)	162(W) x 68(D) x 17(H) mm
Ekran	4" WVGA (800 x 480)
Genişleme Yuvası	Micro SD card (max. 128GB)
Beklenen Pil Ömrü	10 hours
Beklenen Şarj Süresi	3 hours
Ön kamera	5 MP, Sabit odak
Arayüzler	USB-C
Tuş takımı	27 tuş
Bildirimler	Hoparlör, Titreşim, Çok renkli LED'ler
Güç Kaynağı Girişi	AC 100 to 240 V (50 to 60 Hz)
Güç Kaynağı Çıkışı	DC5/7/9 V, 1.67 A
Arka kamera	13 MP, LED flaş, Otomatik odaklama
SIM/TF	2 Nano SIM Card Slots (Nano+Nano or Nano+SD)
Dokunmatik Panel	Kapasitif dokunmatik ekran, Gorilla Glass
Ağırlık	250 g (including battery)

Kablosuz

GPS	GLONASS, GPS (AGPS)
RFID	13.56MHz ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693
WLAN RADIO	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w, support 2.4GHz and 5GHz
WPAN RADIO	Bluetooth 5.0 LE, backward compatible
WWAN RADIO	2G: GSM: 850/900/1800/1900MHz; 3G: WCDMA (B1, B2, B5, B8), CDMA2000 1X/EV-DO Rev. A (BC0), TD-SCDMA (B34, B39); 4G: TD-LTE (B34, B38, B39, B40, B41), FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)

Çevresel

Düşme	1.5 m
-------	-------

Elektrostatik Deşarj (ESD)	±8 kV (dođrudan deşarj), ±15 kV (hava deşarjı)
Nem	%5 ila %95 (yođuşmasız)
IP Sınıfı	IP65
Çalışma Sıcaklığı	-20 °C ile 55 °C (-4 °F ile 131 °F)
Depolama Sıcaklığı	-30 °C ile 70 °C (-22 °F ile 158 °F)

Yazılım

Yapılandırma Araçları	Ndevor
MDM (sertifikalı)	Ndevor, SOTI, Airwatch
Terminal Emülasyonu	StayLinked, Ivanti Velocity

Sertifikalar

Sertifikalar Donanım	FCC ID, IEC 62471, RoHS, EN 60950
----------------------	-----------------------------------

Garanti

Kapsamlı Hizmet Sözleşmesi	3 Yıl, 5 Yıl
Garanti Uzatımı	+1 yıl, +3 yıl
Garanti Koşulları	2 yıl

Aksesuarlar

Opsiyonel aksesuarlar	USB kablosu, 4 yuvalı pil şarj cihazı, Şarj yuvası, Kabza, Pil, Adaptörü, Ekran koruyucu
Standart aksesuarlar	USB kablosu, Kauçuk koruyucu kılıf, Pil, Ekran koruyucu, çoklu güç adaptörü, Bilek kayışı



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved