















FG60 Neptune

Mobil bilgisayarlar

 1D & 2D	 5G	 6" screen	 6,500 mAh	 Android 11	 Bluetooth 5.1
 Camera	 GPRS	 IP67	 Laser aimer	 Megapixel	 NFC
 SD	 Touchscreen	 USB-C	 Warranty 2 Years	 WIFI Dual Band	

Features

Supports.
1D and 2D barcodes.

Software.
Built on Android 11 GMS.

Display.
6.0 inch (1080*2340) 5-point capacitive touch screen.

Processor.
Octa-Core 2.2 GHz CPU.

Offers.
IEEE 802.11 a/b/g/n/ac (2.4 GHz/5GHz). Bluetooth 5.1, camera, GPS, NFC, GSM, WCDMA.

2 Years Full Warranty

TECHNICAL SPECIFICATIONS

FG60 Neptune

Veri Yakalama

1D	All major 1D symbologies
2D	All major 2D symbologies

Performans

Mevcut İşletim Sistemi	Android 11, GMS
Flaş Bellek	64GB
RAM Bellek	4GB

İşlemci	2.2 GHz octa-core
Fiziksel	
Ses	Ses seviyesi 90 dB ± 3 dB (test mesafesi 10 cm), Alt stereo hoparlör
Pil Türü	3.85 V, 5000 mAh, Swappable
Düğmeler	Volume+, Volume-, Shortcut key, Power key
Boyutlar (mm)	163(W) x 79(D) x 18(H) mm
Ekran	6" (1080 x 2340)
Genişleme Yuvası	1 SD card
Beklenen Şarj Süresi	Supports fast charging, full charge time
Ön kamera	8 MP, Tam odak
Arayüzler	USB-C
Tuş takımı	4 tuş
Bildirimler	LED, Titreşim, Ses
Arka kamera	13 MP, Yüksek parlaklıklı LED flaş
Sensörler	G-sensor, Acceleration sensor, Light sensor
SIM/TF	2 Micro SIM card
Üstte yer alan kamera	13 MP, Yüksek parlaklıklı LED flaş
Dokunmatik Panel	5 inç kapasitif dokunmatik ekran
Ağırlık	277 g

Kablosuz

GPS	GPS, BD, GLONASS
NFC	ISO14443A/B , ISO15693 , NFC Reading distance: 0 to 5cm
WLAN RADIO	IEEE 802.11 a/b/g/n/ac, 2.4GHz and 5GHz
WPAN RADIO	Bluetooth 5.1 BLE
WWAN RADIO	FDD-LTE B1/B3/B5/B7/B8 TDD-LTE B34/B38/B39/ B40/B41 WCDMA B1/B2/B5/B8 GSM B2/B3/B5/B8 CDMA 1 x/CDMA2000 BC0/BC1 NR N1/N3/N28A/N41/N77/N78

Çevresel

Düşme	1.8 m drop to concrete
Elektrostatik Deşarj (ESD)	±8 kV (temas deşarjı), ±15 kV (hava deşarjı)
Nem	%5 ila %95
IP Sınıfı	IP67
Çalışma Sıcaklığı	-20 °C ile 55 °C (-4 °F ile 131 °F)
Depolama Sıcaklığı	-30 °C ile 70 °C (-22 °F ile 158 °F)

Sertifikalar

Sertifikalar Donanım	RoHS, CE, MIL-STD-810G
----------------------	------------------------

Garanti

Garanti Koşulları	2 yıl
-------------------	-------



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved