


















NQquire 350 Skate

Dokunmatik Ekranlı Mikro Kiosklar

					
1D & 2D	4.3" screen	Android 7.1	Bluetooth 4.0	CMOS	I/O Ctrl
					
Megapixel	Micro SD	Ndevor	PoE	RFID	Touchscreen
					
USB	Warranty 2 Years	WiFi			



Features

Self-Scanning focused.

The NQquire 350 Skate is armed with a 2D omni-directional scan engine. Its megapixel scanner easily reads barcodes, no matter the size or material that it's been printed on. A 20 degree angle of the reader makes scanning larger products comfortable. For digital barcodes, this same tilt guides each user to present their smart phone at the optimal angle to combat reflection.

Heavily customized Android OS for easy integration and Device Management.

Running on Android 7.1, the NQquire 350 Skate ensures intuitive navigation to your customers and your team. Looking up product information, scanning tickets or checking prices is quick and simple. Meanwhile software and development possibilities are as powerful and widespread as they are in larger equivalents.

Greater visibility.

Newland's MDM Ndevor, included with each NQquire 350 Skate, makes updating and maintaining devices even easier by connecting them to a cloud-based configuration and monitoring tool.

Endless communication possibilities.

The NQquire 350 Skate is equipped with a variety of features that make it easy to adapt the micro kiosk to your application. The device has a built-in RFID reader and data can be transmitted through Ethernet, WiFi and Bluetooth. An external USB and GPIO port provides the possibility to connect an external device, such as a handheld scanner.

Mount anywhere.

With its small footprint and VESA 75 compliant design, the NQquire 350 Skate can be mounted on any shelf, pole or wall.

Backwards compatible.

The NQquire 350 Skate's embedded CIT emulation program means the device can emulate the exact functions of the NQquire 200 series. Enabling prior customers to explore what's possible with Android while they continue their existing processes.

2 Years Full Warranty

Ndevor
NEWLAND SOFTWARE

TECHNICAL SPECIFICATIONS

NQquire 350 Skate

Veri Yakalama

1D	All major 1D symbologies
----	--------------------------

2D	All major 2D symbologies
Hedefleme	Lazer diyot (625±10 nm)
Aydınlatma	Beyaz LED (625±10 nm)
Görüntü Sensörü	1280 x 800 CMOS
Tarama Yöntemleri	Algılama Modu
Tarama hızı	60 frames per second

Performans

Mevcut İşletim Sistemi	Android 7.1
Flaş Bellek	8GB
RAM Bellek	2GB
Bellek Artırma (Maks.)	Micro SD up to 128GB
İşlemci	1.5 GHz octa-core

Fiziksel

Ses	88 dB (850 Hz - 20 kHz) çift kanallı stereo ses
Boyutlar (mm)	140(W) x 139.5(D) x 61(H) mm
Ekran	4.3" (480 x 272) TFT LCD Display
Genişleme Yuvası	Micro SD up to 128GB
Arayüzler	USB 2.0, GPIO
Güç Tüketimi	6 W
Ethernet üzerinden güç	802.3 af
Güç Kaynağı Girişi	AC 110 to 220 V (50 to 60 Hz)
Güç Kaynağı Çıkışı	DC12 V, 2 A
Dokunmatik Panel	Kapasitif dokunmatik ekran
VESA standardı	Complies with standard 75 braket, enabling easy mounting on shelves and walls
Ağırlık	403 g

Kablosuz

RFID	ISO/IEC 14443 A/B ISO/IEC 15693; MIFARE 1K/4K; MIFARE DESFire; Sony FeliCa
WLAN RADIO	IEEE 802.11a/b/g/n/ac
WPAN RADIO	Bluetooth 4.0 LE

Çevresel

Nem	Çalışma: %5 ila %90 (yoğuşmasız), Depolama: %5 ila %95 (yoğuşmasız)
Çalışma Sıcaklığı	-10 °C ile 50 °C arası (14 °F ile 122 °F arası)
Depolama Sıcaklığı	-20 °C ile 60 °C (-4 °F ile 140 °F)

Yazılım

Yapılandırma Araçları	Ndevor
MDM (sertifikalı)	Ndevor, SOTI

Garanti

Garanti Koşulları	2 yıl
-------------------	-------



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved