






NQuire 750 Stingray

Dokunmatik Ekranlı Mikro Kiosklar

					
1D & 2D	4G	7" screen	Android 7.1	Bluetooth 4.0	Camera
					
I/O Ctrl	Megapixel	Micro SD	Ndevor	NFC	PoE
					
RFID	Touchscreen	USB	Warranty 2 Years	WiFi Dual Band	



Features

Android OS.

The NQuire 750 Stingray uses Android 7.1 OS. With this reliable operating system comes a feature-rich environment for stable apps that are tried and tested. Android 7.1 is an excellent match for the applications most suited to the NQuire 750. Particularly when operating within four walls, fitting the NQuire 750's PoE (Power over Ethernet) connectivity.

Free MDM included.

The NQuire 750 Stingray comes with the option of running Newland's free MDM solution: Ndevor. As a result, the Micro Kiosk lends itself perfectly for the coordination of multiple units. Managing information from a shared database, organizing applications and settings across many individual units, as well as low-touch assistance in troubleshooting can all be managed from a centralized location.

Mount anywhere.

The NQuire 750 Stingray's slimline and lightweight design is suitable for mounting on any shelf edge. Options to mount the NQuire series range from shelf to wall and free-standing. Its classic Vesa75 configuration also ensures existing industry standard, 3rd party solutions are compatible.

Snappy Megapixel Scanning.

Barcode data capture is at the heart of Newland's Micro Kiosks and so the NQuire 750 is fitted with their own Megapixel scanning technology. This maintains high standards for the scanning of both large and small 1D & 2D barcodes. The Micro Kiosk further includes optimal settings for reading barcodes presented on smartphone and tablet screens. With the scanner set at a 20° angle, it matches the ergonomics of how the user presents codes for scanning.

Multi-purpose display.

The sharp, full-colour screen on the Stingray is perfect for running animations and live recorded videos when not actively being used. With onboard memory, expanded memory and online options, the choice of content to display is virtually limitless.

Endless communication possibilities.

With WiFi, Ethernet, Powered Ethernet (PoE) and Bluetooth, this Micro Kiosk offers a variety of standard communication possibilities. Additionally, optional 4G means that the NQuire 750 Stingray can communicate and be communicated with, no matter the circumstance. Adding to that the wide variety of data capture options, such as integrated barcode reading, MSR, NFC and low frequency RFID, application possibilities are endless. Modules can only be ordered pre-mounted to the connector on the left or right side.

2 Years Full Warranty

Ndevor
NEWLAND SOFTWARE

NQuire 750 Stingray

Veri Yakalama

1D	All major 1D symbologies
2D	All major 2D symbologies
Hedefleme	Lazer diyot (625±10 nm)
Aydınlatma	Beyaz LED (625±10 nm)
Görüntü Sensörü	1280 x 800 CMOS
Tarama Yöntemleri	Algılama Modu
Tarama hızı	60 frames per second

Performans

Mevcut İşletim Sistemi	Android 7.1
Flaş Bellek	8 GB eMMC
RAM Bellek	2GB DDR3
Bellek Artırma (Maks.)	Micro SD up to 128GB
İşlemci	1.5 GHz octa-core, 64-bit

Fiziksel

Ses	82 dB çift kanallı stereo ses
Boyutlar (mm)	195(W) x 138.5(D) x 25(H) mm
Ekran	7" (1280 x 800) IPS display
Genişleme Yuvası	Micro SD up to 128GB
Ön kamera	5 MP, Sabit odak
Giriş Gerilimi	12 VDC (2 A)
Arayüzler	Mikro USB 2.0, USB 2.0, GPIO, OTG
Güç Tüketimi	12 W (max)
Ethernet üzerinden güç	RJ45 Ethernet, 10/100/1.000BASE-T
Güç Kaynağı Girişi	AC 110 to 220 V (50 to 60 Hz)
Güç Kaynağı Çıkışı	DC12 V, 2 A
Sensörler	Gravity Sensor
Dokunmatik Panel	5 inç kapasitif dokunmatik ekran
VESA standardı	Complies with the standard VESA 75 bracket, enabling easy mounting on shelves and walls

Kablosuz

RFID	ISO/IEC 14443 A/B ISO/IEC 15693; MIFARE 1K/4K; MIFARE DESFire; Sony FeliCa (optional)
WLAN RADIO	IEEE 802.11 a/b/g/n/ac, 2.4GHz and 5Ghz (optional)
WPAN RADIO	Bluetooth 4.0 LE, EDR + BLE (optional)

Çevresel

Nem	%5 ila %90 (yoğuşmasız)
IP Sınıfı	IP54 (sadece ön taraf)
Çalışma Sıcaklığı	-10 °C ile 50 °C arası (14 °F ile 122 °F arası)

Yazılım

Yapılandırma Araçları	Ndevor
MDM (sertifikalı)	Ndevor, SOTI
Terminal Emülasyonu	StayLinked, Airwatch

Sertifikalar

Sertifikalar Donanım	IEC 62471, RoHS, CE
----------------------	---------------------

Garanti

Kapsamlı Hizmet Sözleşmesi	3 Yıl, 5 Yıl
Garanti Uzatımı	+1 yıl, +3 yıl
Garanti Koşulları	2 yıl

Aksesuarlar

Opsiyonel aksesuarlar	çoklu güç adaptörü, Masaüstü standı VESA 75, VESA 75 duvar montaj aparatı, MSR okuyucu modülü, NFC okuyucu modülü, 4G modülü, Düşük frekanslı RFID okuyucu modülü
Standart aksesuarlar	çoklu güç adaptörü, VESA 75 duvar montaj aparatı

Kutuda neler var?

NLS-NQUIRE751PRW-7C	NQuire 750 Stingray, Wall mount bracket, Multiplug adapter
---------------------	--

Accessories

Tabanlar ve tutucular

STD1200 Desktop Stand for NQuire Series (STD1200)
WMB750 Wall Mount Bracket for NQuire Series (WMB750)

Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved