



















SD80 Libra

Dokunmatik Ekranlı Mikro Kiosklar

 1D & 2D	 4G	 8.0" screen	 9,000 mAh	 Android 8.1	 Bluetooth 4.1
 Camera	 GPRS	 IP65	 Laser aimer	 Location	 Megapixel
 Micro SD	 NFC	 Touchscreen	 USB-C	 Warranty 2 Years	 WiFi Dual Band



Features

Supports

1D and 2D barcodes.

Software.

Built on Android 8.1.

Display.

8.0 inch (1280 x 800) 5 point capacitive touch screen.

Processor.

Octa core 2.0GHz CPU.

Memory.

4GB RAM and 64GB ROM memory.

Offers.

WiFi 802.11 a/b/g/n (2.4GHz & 5GHz), Bluetooth 4.1, GPS, camera, NFC, GSM, WCDMA.

Accessories.

Elastic hand strap included.

2 Years Full
Warranty

TECHNICAL SPECIFICATIONS

SD80 Libra

Veri Yakalama

1D	All major 1D symbologies, including Codabar, Code11, Code128, EAN128, Code39, Code93, EAN8, EAN13, Int25, Postnet, OCR, RSS, UPCA, UPCE, ISBT, BPO, Canpost, Auspost, IATA25, Japost, Planet, Dutchpost, MSI, TLC39, Trioptic, Code32, Strt25
2D	All major 2D symbologies, including Aztec, Code49, Composite, DataMatrix, Maxicode, MicroPDF, PDF417, QR, Codablock
Görüntü Sensörü	1280 x 800 CMOS

Performans

Mevcut İşletim Sistemi	Android 8.1
Flaş Bellek	64GB
RAM Bellek	4GB
İşlemci	2.0 GHz octa-core

Fiziksel

Ses	Ön çift stereo hoparlör, Ses seviyesi 90 dB ± 3 dB (test mesafesi 10 cm)
Pil Türü	9000 mAh
Boyutlar (mm)	234(W) x 150(D) x 19.6(H) mm
Ekran	8.0" IPS highlight screen
Genişleme Yuvası	2 Micro SIM card slots, 1 microSD card slot
Beklenen Pil Ömrü	Typical working time not less than 10 hours
Beklenen Şarj Süresi	PE2.0 fast charge
Ön kamera	5 MP
Arayüzler	Pogo pimi, USB-C
Tuş takımı	7 tuş
Bildirimler	LED, Titreşim, Ses
Pogo Pin	20 Pogo Pins contact
Arka kamera	13 MP, Otomatik odaklama, Yüksek parlaklıklı LED flaş
Sensörler	G-sensor, Proximity sensor, COMPASS, Ambient light sensor
Dokunmatik Panel	5 inç kapasitif dokunmatik ekran
Ağırlık	700 g (with battery)

Kablosuz

GPS	GPS, BD, GLONASS
RFID	ISO14443NB , ISO15693 , NFC Reading distance: 0~5cm
WLAN RADIO	IEEE 802.11 a/b/g/n 2.4G 5G dual frequency
WPAN RADIO	Bluetooth 4.1 BLE
WWAN RADIO	FDD-LTE B1/B3/B5/B7/B8, TDD-LTE B38/B39/B40/B41, TDSCDMA B34/B39, WCDMA B1/B2/B5/B8, GSM B2/B3/B5/B8, CDMA 1 x/CDMA2000 BC0/BC1

Çevresel

Düşme	1 meter drop to cement floor
Elektrostatik Deşarj (ESD)	±8 kV (hava deşarjı), ±15 kV (hava deşarjı)
Nem	%5 ila %90 (yoğuşmasız)
IP Sınıfı	IP65
Çalışma Sıcaklığı	-20 °C ile 55 °C (-4 °F ile 131 °F)
Depolama Sıcaklığı	-30 °C ile 70 °C (-22 °F ile 158 °F)

Sertifikalar

Sertifikalar Donanım	CCC, CE
----------------------	---------

Garanti

Garanti Koşulları	2 yıl
-------------------	-------



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved