



NQquire 1500 Mobula

Dokunmatik Ekranlı Mikro Kiosklar



15.6"
screen



1D & 2D



Android
7.1



Bluetooth
4.1



Camera



I/O
Ctrl



IP54



Megapixel



Ndevor



PoE



SD



USB



WiFi



Features

Android OS.

The NQquire 1500 Mobula runs on an Android 7.1 OS. With this reliable operating system comes a feature-rich environment for stable apps that are tried and tested. Android 7.1 is an excellent match for the applications most suited to the NQquire 1500. Particularly when operating within four walls, fitting the NQquire 1500's Power over Ethernet (PoE) connectivity.

Free MDM included.

The NQquire 1500 Mobula comes with the option of running Newland's free MDM solution: Ndevor. As a result, the Micro Kiosk lends itself perfectly to the coordination of multiple units. Managing information from a shared database, organizing applications and settings across many individual units, as well as low-touch assistance in troubleshooting can all be managed from a centralized location.

Mount anywhere.

The NQquire 1500 Mobula's slim and lightweight design is suitable for mounting in various scenarios. Options to mount the Nquire series range from wall to free-standing. Its classic Vesa75 configuration also ensures that existing holders from 3rd parties can be used.

Snappy Megapixel Scanning.

Barcode data capture is at the heart of Newland's Micro Kiosks. The NQquire 1500 is fitted with its own Megapixel scanning technology. This maintains high standards for the scanning of both large and small 1D & 2D barcodes. The Micro Kiosk further includes optimal settings for reading barcodes presented on smartphone and tablet screens. With the scanner set at a 20° angle, it matches the ergonomics of how the user presents codes for scanning.

Multi-purpose display.

The sharp, full-colour screen on the NQquire 1500 Mobula is perfect for running animations and live recorded videos when it is not being actively used. With onboard memory, expanded memory and online options, the choice of content to display is virtually limitless.

Endless communication and data capture possibilities.

With WiFi, Ethernet (PoE support) and Bluetooth, this Micro Kiosk offers a variety of standard communication possibilities.

2 Years Full
Warranty

Ndevor
NEWLAND SOFTWARE

TECHNICAL SPECIFICATIONS

NQquire 1500 Mobula

Veri Yakalama

1D

All major 1D symbologies

2D	All major 2D symbologies
Hedefleme	Lazer diyot (625±10 nm)
Aydınlatma	Beyaz LED (625±10 nm)
Görüntü Sensörü	1280 x 800 CMOS
Tarama Yöntemleri	Algılama Modu
Tarama hızı	60 frames per second

Performans

Mevcut İşletim Sistemi	Android 7.1
Flaş Bellek	8 GB eMMC
RAM Bellek	2GB DDR3
İşlemci	RK3288, ARM Cortex-A53; up to 1.5 GHz

Fiziksel

Ses	Mikrofon, Entegre hoparlörler 80 (1,3 W)
Pil Türü	No main battery, RTC clock battery
Düğmeler	(Vol+/ Vol-)/(Up / Down)/ Exit / Power switch
Boyutlar (mm)	380.35(W) x 283.64(D) x 27.7(H) mm
Ekran	15.6" IPS (1920 x 1080), brightness 250cd/m2, backlight LED
Genişleme Yuvası	1 x MicroSDHC class 10 compatible
Ön kamera	5 MP, Sabit odak
Kabuk	Plastik
Giriş Gerilimi	12 VDC ±%5
Arayüzler	Mikro USB 2.0, USB 2.0, OTG, RJ-45, DC güç ünitesi
Tuş takımı	6 tuş
Ethernet üzerinden güç	RJ45 Ethernet, 10/100/1.000BASE-T
Güç Kaynağı Çıkışı	DC12 V, 2 A
Sensörler	Gravity Sensor
Dokunmatik Panel	5 inç kapasitif dokunmatik ekran
VESA standardı	Complies with the standard VESA 75 bracket, enabling easy mounting on shelves and walls
Video	H.264 real-time video playback 1080P@30fps display
Ağırlık	1,315 g

Kablosuz

WPAN RADIO	Bluetooth 4.1
------------	---------------

Çevresel

Nem	%5 ila %95 (yoğuşmasız)
IP Sınıfı	IP54 (sadece ön taraf)
Çalışma Sıcaklığı	-10 °C ile 50 °C arası (14 °F ile 122 °F arası)
Depolama Sıcaklığı	-20 °C ile 60 °C (-4 °F ile 140 °F)

Yazılım

Yapılandırma Araçları	Ndevor
-----------------------	--------

MDM (sertifikalı)

Ndevor, SOTI

Terminal Emülasyonu

Ivanti Velocity

Sertifikalar

Sertifikalar Donanım

FCC, RoHS, CE

Garanti

Garanti Koşulları

2 yıl

Aksesuarlar

Opsiyonel aksesuarlar

Masaüstü standı VESA 75

Standart aksesuarlar

Güç adaptörü, VESA 75 duvar montaj aparatı



Newland AIDC EMEA

Feel free to contact us or a partner near you.

info@newland-id.com - newland-id.com

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved