






















# SD55 Lynx UHF

Mobil bilgisayarlar

-  1.5m drop
-  1D & 2D
-  4G
-  5,800 mAh
-  5.5" screen
-  Android 8.1
-  Bluetooth 4.1
-  Camera
-  GPRS
-  IP65
-  Laser aimer
-  Location
-  Megapixel
-  Micro SD
-  NFC
-  Touchscreen
-  UHF
-  USB-C
-  Warranty 2 Years
-  WIFI Dual Band



## Features

**Supports.**  
1D and 2D barcodes.

**Software.**  
Built on Android 8.1.

**Display.**  
5.5 inch (1440 x 720) 5 point capacitive touch screen.

**Processor.**  
Octa core 2.0GHz CPU.

**Memory.**  
4GB RAM and 64GB ROM memory.

**Offers.**  
Wi-Fi 802.11 a/b/g/n (2.4GHz & 5GHz) dual frequency, camera, NFC, GSM, WCDMA.

**Accessories.**  
Supplied with cradle.

**2** Years Full Warranty

### TECHNICAL SPECIFICATIONS

## SD55 Lynx UHF

#### Veri Yakalama

1D	Auspost, Bpo, Canpost, Codabar, Code11, Code128, Code32, Code39, Code93, Dutchpost, Ean13, Ean8, Ean128, Int25, Isbt, Iata25, Japost, Msi, Ocr, Planet, Postnet, Strt25, Tlc39, Trioptic, Upca, and Upce
----	--

**Performans**

Mevcut İşletim Sistemi	Android 8.1
Flaş Bellek	64GB
RAM Bellek	4GB
İşlemci	2.0 GHz octa-core

**Fiziksel**

Ses	Ön çift stereo hoparlör, Ses seviyesi 90 dB ± 3 dB (test mesafesi 10 cm)
Pil Türü	5800 mAh
Düğmeler	Volume keys, function keys (1 left, 1 right), power key
Boyutlar (mm)	150(W) x 72.5(D) x 15(H) mm
Ekran	5.5" (1440 x 720), IPS highlight screen
Genişleme Yuvası	Micro SD card slot
Beklenen Şarj Süresi	PE fast charging, full charge time < 4h
Ön kamera	5 MP, Tam odak
Arayüzler	USB-C, OTG
Tuş takımı	5 tuş
Bildirimler	LED, Titreşim, Ses
Arka kamera	13 MP, Otomatik odaklama, Yüksek parlaklıklı LED flaş
Sensörler	G-sensor, Proximity sensor, COMPASS, Ambient light sensor
SIM/TF	2 Nano SIM card slots
Dokunmatik Panel	5 inç kapasitif dokunmatik ekran
Ağırlık	290 g (with battery)

**Kablosuz**

GPS	GPS, BD, GLONASS
NFC	ISO14443A/B, ISO15693
NFC: Okuma Mesafesi	0 to 5 cm
RFID	ISO14443A/B, ISO15693, NFC reading distance: 0 to 5cm; UHF: ISO18000-6C, Euro frequency (865MHz - 867MHz), Antenna: 1.5dBi ceramic antenna, Power: working voltage 3.6-5V, RF output 5dBm to 30dBm(1W), 1dbm adjustable, Standby power consumption: about 0.25W, maximum 4W(typical 3.5W), Identification range: indoor >5m, outdoor open environment >3m, Group read rate: >30 tags per second, Inventory speed: >30 tags/sec
WLAN RADIO	IEEE 802.11 a/b/g/n 2.4G 5G dual frequency
WPAN RADIO	Bluetooth 4.1, BLE
WWAN RADIO	FDD-LTE B1/B3/B7, TDD-LTE B38/B39/B40/B41, TDSCDMA B34/B39, WCDMA B1/B2/B5/B8, GSM B2/B3/B5/B8, CDMA1x/CDMA2000 BC0

**Çevresel**

Düşme	1.5 m
Elektrostatik Deşarj (ESD)	±8 kV (temas deşarjı), ±15 kV (hava deşarjı)
Nem	%5 ila %95
IP Sınıfı	IP65

Çalışma Sıcaklığı -20 °C ile 55 °C (-4 °F ile 131 °F)

Depolama Sıcaklığı -30 °C ile 70 °C (-22 °F ile 158 °F)

#### Sertifikalar

Sertifikalar Donanım FCC, CCC, CE

#### Garanti

Garanti Koşulları 2 yıl



#### Newland AIDC EMEA

Feel free to contact us or a partner near you.

[info@newland-id.com](mailto:info@newland-id.com) - [newland-id.com](http://newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2026 - All rights reserved